٠.

CLAIMS

A dosage form useful in ophthalmic treatment comprising a jet or stream of droplets of treatment fluid, each droplet having an ophthalmologically active compound in suspension or solution.

- 2. A dosage form according to Claim 1 wherein the jet or each droplet has the active compound in aqueous suspension or solution.
- 3. A dosage form according to Claim 1 or Claim 2 wherein the jet or each droplet is of a size sufficient to sustain its momentum in transmission from a delivery device to a target site.
- 4. A dosage form according to Claim 3 wherein the jet or each droplet is of a size sufficient to sustain momentum along a substantially horizontal path 5 cms in length from a discharge velocity of up to 25 m/sec from the delivery device.
- 5. A dosage form according to any preceding Claim wherein the jet or each droplet has a diameter in the range 100 to 800 $\mu m\,.$
- 6. A dosage form according to Claim 5 wherein the jet or each droplet has a diameter in the range 200 to 400 $\mu \mathrm{m}\,.$
- 7. A dosage form according to any preceding Claim in which the total volume of treatment fluid does not exceed 10 μ l.
- 8. A dosage form according to Claim 7 in which the total volume of treatment fluid is in the range 3 to 8 μ l.
- 9. A method of ophthalmic treatment comprising delivering to an eye a dosage form according to any preceding Claim.
- 10. A method according to Claim 9 wherein the eye is a human eye.
- 11. A method according to Claim 9 or Claim 10 wherein the dosage form is directed at a particular site in the eye.

Swo 2

Sub (3)

but a43

but 053

12. A method

d of

increasing

the

ocular



bioavailability of ophthalmologically active compound, wherein the compound is provided in suspension or solution in a body of ophthalmie treatment liquid in a dosage form comprising the liquid as a jet and/or stream of droplets, the jet and/or droplets having a mean diameter in the range 20 μm to 1000 μm .

- 13. A method according to Claim 12 wherein the mean diameter of the jet and/or droplets is in the range 100 μm to 800 μm , preferably 200 μm to 400 μm .
- 14. A method according to Claim 12 or Claim 13 wherein the total volume of treatment liquid in the dosage form does not exceed 10 μ l.
- 15. A method according to Claim 14 wherein the total volume of treatment liquid in the dosage form is in the range 3 μl to 8 μl .

add a1)